

# **Deploying Citrix XenDesktop 7.6 Solutions**

Verson: Demo

[Total Questions: 10]

# Topic break down

Торіс	No. of Questions
Topic 1: Pre-installation Considerations	1
Topic 2: Installing required technologies	2
Topic 3: Configuring technical components	7

### **Topic 1, Pre-installation Considerations**

### Question No : 1 - (Topic 1)

Scenario: A Citrix Engineer is using the XenApp Services Support URL to enable support for legacy clients. The services URL is configured with explicit authentication. The engineer needs to configure StoreFront to support pass-through for a new group of legacy clients.

How could the engineer configure pass-through authentication for the new group of legacy clients while maintaining explicit authentication for existing legacy clients?

**A.** Add the pass-through authentication method in the site configuration file.

**B.** Change the services support site authentication method to pass-through.

**C.** Create a new store and set pass-through authentication as the 'LogonMethod' on the services URL.

**D.** Add the pass-through authentication method to the legacy services URL using the StoreFront console.

### Answer: C

# **Topic 2, Installing required technologies**

### Question No : 2 - (Topic 2)

Which switch is required to install Citrix Receiver with pass-through authentication?

A. includeSSONB. enable\_SSONC. enable\_KerberosD. ALLOWSAFEPWD=S

### **Answer: A**

# Question No : 3 - (Topic 2)

Scenario: A Business Unit Manager requests Remote PC Access for a team of offshore developers. The Business Manager's request indicates the need for a silent deployment with Citrix Receiver embedded and shadowing enabled. Desktop OS machines should NOT be restarted during the installation as a restart will be scheduled when convenient.

### Citrix 1Y0-301 : Practice Test

The Virtual Delivery Agent (VDA) must register initially with the Delivery Controller on the server named 'Contr01' in the domain 'mydomain,' and audio packets will flow over UDP. HDX ports should be opened if the Windows Firewall service is detected.

Which command must a Citrix Engineer execute to install the VDA to meet the requirements stated in the scenario?

A. XenDesktopVdaSetup.exe /quiet /components vda,plugins /controllers "Contr01.mydomain.local" /noreboot /enable\_remote\_assistance
B. XenDesktopVdaSetup.exe /quiet /components vda /controllers "Contr01.mydomain.local" /enable\_hdx\_ports /enable\_real\_time\_transport /noreboot
C. XenDesktopVdaSetup.exe /quiet /components vda /controllers "Contr01.mydomain.local" /enable\_hdx\_ports /enable\_real\_time\_transport /noreboot
D. XenDesktopVdaSetup.exe /quiet /components vda,plugins /controllers "Contr01.mydomain.local" /enable\_hdx\_ports
/enable\_real\_time\_transport /noreboot /enable\_remote\_management
D. XenDesktopVdaSetup.exe /quiet /components vda,plugins /controllers "Contr01.mydomain.local" /enable\_hdx\_ports

**Answer: D** 

# **Topic 3, Configuring technical components**

# Question No : 4 - (Topic 3)

Which two steps does a Citrix Engineer need to take to enable shadowing in XenDesktop? (Choose two.)

- A. Enable Windows Remote Assistance.
- **B.** Run the enable-psremoting command.
- C. Install Windows Remote Management.
- D. Disable Windows User Account Control (UAC).
- E. Ensure communication on port 3389 is allowed.

# Answer: A,E

### Question No : 5 - (Topic 3)

Which type of XenServer storage repository supports thin provisioning?

A. NFSB. CIFSC. Fibre ChannelD. Software iSCSI

Answer: A

Question No : 6 - (Topic 3)

Which feature should a Citrix Engineer implement to ensure that client devices do NOT connect directly to back-end components?

A. ICA Proxy
B. StoreFront
C. URL Rewrite
D. Secure Ticket Authority (STA)

**Answer: A** 

# Question No : 7 - (Topic 3)

How should a Citrix Engineer configure a hosted application so that only a subset of users within an existing Delivery Group are able to access the hosted application?

- A. Configure the 'Prefer' keyword.
- **B.** Configure Limit Visibility to the target users.
- **C.** Create an HDX policy based on the user group.
- **D.** Publish the application to only the subset of users.

Answer: B

# Question No : 8 - (Topic 3)

Scenario: A Citrix Engineer added a second Provisioning Services server to an existing Provisioning Services site for high availability. The engineer copied the virtual hard drive (VHD) files to the store on the new Provisioning Services server. After doing that, the second server stopped showing the disk as 'available' under replication status. Why is vDisk replication status failing for the new server?

- A. The .pvp file has NOT been copied
- **B.** The vDisk is still in Standard mode.
- C. The manifest file has NOT been created.
- **D.** The disk has to be replicated through DFSR.

### Answer: A

# Question No : 9 - (Topic 3)

Which Virtual Disk Storage type should a Citrix Engineer configure for shared storage with XenServer when using a Fibre Channel SAN?

- A. NFS VHD
- B. Software iSCSI
- C. Hardware HBA
- D. Windows File Sharing (CIFS)

# Answer: C

# Question No : 10 - (Topic 3)

Scenario: A Citrix Engineer needs to provide virtual desktop access to branch office users by deploying NetScaler to an existing Citrix StoreFront environment. Active Directory, along with RSA tokens, will be used for authentication on the NetScaler.

Which two authentication servers should the engineer configure on the NetScaler? (Choose two.)

A. LocalB. LDAPC. RADIUSD. TACACS

Answer: A,D