Oracle

1Z0-1093-21 Exam

Oracle Cloud Database Services 2021 Specialist

Questions & Answers

Demo

Version: 4.0

| Question: 1 | | | |
|--|--|--|--|
| | | | |
| Which TWO statements are true when enabling autonomous Data Guard on Autonomous Exadat | | | |
| a. (Choose all correct answers) | | | |
| A. Autonomous databases inherit their Data Guard configuration from their Autonomous Container | | | |
| Database. | | | |
| B. Data Guard can be set per individual Autonomous Database within a Container Database. | | | |
| C. Data Guard is not currently supported on Autonomous Exadata Cloud@Customer. | | | |
| D. Autonomous Data Guard only supports Maximum Performance and Maximum Protection | | | |
| modes. | | | |
| E. When in a Data Guard configuration patching will always take place on the standby database first. | | | |
| | | | |
| Answer: A, E | | | |
| Explanation: | | | |
| | | | |
| Question: 2 | | | |
| | | | |
| Which system configuration is offered by the Oracle Database Exadata Cloud Service? | | | |
| , | | | |
| A. Each system configuration starts with a fixed amount of memory and storage resources. | | | |
| B. Each system configuration starts with a fixed amount of OCPU and storage resources. | | | |
| C. Each system configuration starts with a fixed amount of OCPU, memory, storage, and network | | | |
| resources. | | | |
| D. Each system configuration starts with a fixed amount of OCPU, memory, and network resources. | | | |
| | | | |
| Answer: C | | | |
| Explanation: | | | |
| • | | | |
| Question: 3 | | | |

Which THREE are prerequisites for using the MySQL Database Service? (Choose all correct answers)

- A. You must create a tenancy and be able to sign in to it.
- B. You must download the latest MySQL version from https://edelivery.oracle.com/.
- C. You or your group must be granted the policies described in Mandatory Policies.
- D. You must install the downloaded MySQL version onto Oracle Cloud Infrastructure.
- E. You must create a compartment to store your resources.

| | | _ | Answer: A, C, E |
|---|--|-------------|-------------------------------|
| Explanation: | | | |
| Question: 4 | | | |
| | y for hosts in the VCN, security list distinction of the design of the d | | • |
| A. allows SQL*NET traffic from B. allows ONS and FAN traffic f C. allows SSH traffic from anyw D. allows Path MTU Discovery | rom within the VCN here | _ | |
| | | _ | Answer: C, D |
| Explanation: | | | |
| Question: 5 | | | |
| Which three actions can you p standby database? (Choose all correct answers) | erform on a DB system that has an | Oracle D | ata Guard association with a |
| A. If the primary database be standby database to the prima | comes unavailable, then you can u | ise Oracle | Data Guard to fail over the |
| B. You can write on both prima Cloud Infrastructure Database | iry and standby databases because lare logical standbys. | DB system | standby databases in Oracle |
| C. You can terminate a primary D. You can use the reinstate co cause of failure. | ommand to return a failed database | e into stan | dby role after correcting the |
| | mary database to the standby role, ack to the primary role. | perform | maintenance on the standby |
| | | _ | Answer: A, D, E |
| Explanation: | | _ | |