

Riverbed

Exam 499-01

Riverbed Certified Solutions Professional – Application Performance Management

Verson: Demo

[Total Questions: 10]

Topic break down

| Topic | No. of Questions |
|--------------------------------------|-------------------------|
| Topic 1: AppInternals Xpert | 1 |
| Topic 3: AppResponse Xpert | 3 |
| Topic 4: AppTransaction Xpert | 4 |
| Topic 5: RPM Dashboards | 2 |

Topic 1, AppInternals Xpert

Question No : 1 - (Topic 1)

What issues arise in instrumenting a Java application using IBM SDK Java when the command line to start the application is not readily accessible? (Select 2)

- A. Some code compilation or modification is needed.
- B. You can set the IBM_JAVA_OPTIONS environment variable to add the argument into the application startup.
- C. IBM SDK Java is not supported.
- D. Setting the IBM_JAVA_OPTIONS environment variable will add the same argument into every IBM SDK Java application startup.

Answer: B,D

Topic 3, AppResponse Xpert

Question No : 2 - (Topic 3)

Which of the following is not a default metric in a Favorites table?

- A. Packet loss (inbound)
- B. Throughput (inbound and outbound)
- C. Connection requests (TCP servers)
- D. Round trip time (outbound)
- E. Server response time (clients)

Answer: A

Question No : 3 - (Topic 3)

If your company wishes to centrally manage and configure several AppResponse Xpert appliances at once, which of the following solutions would accomplish this?

- A. AppResponse Xpert Director appliance
- B. AppResponse Xpert Dashboard server
- C. AppResponse Xpert Domain Manager appliance
- D. AppResponse Xpert Master Console

Answer: A

Question No : 4 - (Topic 3)

AppResponse Xpert can decrypt SSL data on the fly. How is that data stored?


- A. SSL data is stored encrypted, as it was received.
- B. SSL data is stored unencrypted, since it gets decrypted on the fly.
- C. For security reasons, SSL data is not stored on the appliance.
- D. Only the header information of SSL packets is stored on the appliance.

Answer: A

Topic 4, AppTransaction Xpert

Question No : 5 - (Topic 4)

Refer to the exhibit from the AppDoctor.



The primary bottleneck is probably due to:

- A. Processing at client
- B. Chattiness
- C. Packet loss
- D. Processing at server
- E. Latency

Answer: C

Question No : 6 - (Topic 4)

What default threshold does the AppDoctor use to detect user think time on the client tier?

- A. 5 seconds
- B. 2 seconds

- C. 3 seconds
- D. 1 second

Answer: D

Question No : 7 - (Topic 4)

What are the default network settings (bandwidth/latency) used when importing a single trace into AppTransaction Xpert?

- A. Estimated bandwidth / estimated latency
- B. 1 Gbps bandwidth / 0 millisecond latency
- C. 1 Gbps bandwidth / estimated latency
- D. Estimated bandwidth / 0 millisecond latency

Answer: C

Question No : 8 - (Topic 4)

On the Data Exchange Chart tab, what does the arrow's direction indicate?

- A. Packet loss
- B. Latency
- C. It has no meaning
- D. Transfer time

Answer: D

Topic 5, RPM Dashboards

Question No : 9 - (Topic 5)

Which of these data sources allow editing of threshold values within the Dashboard user interface? (Select 3)

- A. AppResponse Xpert
- B. AppInternals Xpert
- C. Cascade Profiler
- D. BrowserMetrix

Answer: A,C,D

Question No : 10 - (Topic 5)

Which of the following are not required to set up pattern-based properties for grouping metrics in a panel? (Select 3)

- A.** Create a new property name for each possible value.
- B.** Add a description.
- C.** Choose the new property name in the panel's grouping configuration.
- D.** Enable custom properties either at the server level or dashboard level.

Answer: A,B,D