Nokia 4A0-100 Exam

Nokia Scalable IP Networks

Questions & Answers Demo

Version: 12.0

| Topic 1, Volume A |
|--|
| Question: 1 |
| You are configuring your Nokia 7750SR Service Router from the Command Line Interface (CLI), and afte entering a lengthy command, wish to return directly to the ROOT context. Which control command allows you to do this quickly? |
| A. Ctrl-z B. Ctrl-c C. Esc D. Shift-Page Down |
| Answer: A |
| Question: 2 |
| Which of the following best describes a repeater? |
| A. A passive device simply used to connect two or more cables. Does not generate or amplify any signals B. A device that receives and retransmits a signal out its ports, but does not do any Layer 2 analysis o the data. |
| C. A device that receives a signal and based on the Layer 2 destination address, makes a decision or which ports the signal should be retransmitted. |
| D. A device that receives a signal and based on the Layer 3 destination address, makes a decision or which ports the signal should be retransmitted. |
| Answer: B |
| Question: 3 |

How do protocols such as ATM and Frame-Relay support differentiating multiple customers or traffic types on the same physical wire?

- A. ATM and Frame-Relay are circuit switched protocols and use Virtual Circuits to create logical separation of traffic.
- B. ATM and Frame-Relay are point-to-point protocols and do not support different customers or traffic type on the same physical wire.
- C. ATM and Frame-Relay are circuit switched protocols and use VLAN's to create logical separation of traffic.

| D. ATM and Frame-Relay are of separation of traffic. | circuit switched protocols and use IP Header | information to create logical |
|--|--|-------------------------------|
| | | Answer: A |
| Question: 4 | | |
| Which of the following is a fea | ture of Layer 3? | |
| A. Provides an universal addreB. Ensures data is delivered acC. Provides reliable data transfD. Provides a physical interface | ross the Layer 2 network. fers. | |
| | | Answer: A |
| Question: 5 | | |
| The 201.148.26.0/24 network you obtain with this mask? | is subnetted using a /26 mask. How many sul | bnets and host addresses will |
| A. 4 subnets, 64 hosts B. 64 subnets, 4 hosts C. 4 subnets, 62 hosts D. 64 subnets, 2 hosts E. 6 subnets, 30 hosts | | |
| | | Answer: C |
| Question: 6 | | |
| What problem was Spanning T | ree Protocol (STP) primarily designed to solve | ?? |
| A. Broadcast storms caused by B. Missing protocol field in the C. Missing sequence number i D. Unreliable data transfer in L | n the Ethernet header. | |
| | | Answer: A |
| Question: 7 | | |

Choose two true statements that characterize Link State Routing

A. Routers send a copy of their routing table to their neighbors periodically.

A. IBM.
B. US Military.
C. Nokia.
D. NASA.
E. Bell Labs

Answer: B

B. Routers flood link information throughout the entire area. C. Network converges quickly (within several seconds) after a topology change. D. Routers do not have precise knowledge of the entire network topology. Answer: B,C **Question: 8** Which statement accurately explains the purpose of the TCP protocol and what it provides? A. The primary purpose of TCP is to provide reliable communications between application services. B. The primary purpose of TCP is to provide unreliable communications between application services C. The primary purpose of TCP is to provide IP routing between application services. D. The primary purpose of TCP is to define the correct format for the application layer such as JPEG or HTML. Answer: A **Question: 9** Which of the following is the best description of well known ports? A. Well known ports apply to routers only and are used for communication and control traffic. Well known port numbers are assigned by IANA and can have any value. B. Well known ports are used by TCP and UDP. Well known port numbers range from 1024 to 65535 and are assigned by IANA. C. Well known port numbers are used by both TCP and UDP. Well known port numbers range from 1 to 1023 and are assigned by IANA. D. Well known ports numbers are used by TCP only. Well known port numbers are assigned by IANA and can have any value. **Answer: C** Question: 10 Which organization first considered cross-platform networking support to be a necessity?

| Question: | 11 |
|-----------|----|

Which of the following statements best describes ARPANET?

- A. ARPANET was an early packet switched network initially connecting 4 sites (Stanford, UC Santa Barbara, UCLA, and U of Utah).
- B. The mission of ARPANET was to connect packet switched networks and other diverse networks, making an international network of networks.
- C. ARPANET connected sites spread around the Hawaiian Islands to a central time-sharing computer on the University of Hawaii campus.
- D. ARPANET was based on the use of TCP/IP to interconnect diverse systems.

| | Answer: A |
|---|--------------------------------|
| Question: 12 | |
| Kahn solved the problem of interconnecting different networks using diffe new protocol called TCP that was capable of: | rent protocols by pioneering a |
| A. Secure transmission of information.B. Enforcing a constant packet size to avoid discards.C. Allowing remote logins.D. Providing host to host connectivity with global addressing. | |
| | Answer: D |
| Question: 13 | |
| Which network was created to replace ARPANET? | |
| A. INWG B. ALOHANET C. IETF D. NSFNET | |
| | Answer: D |

Question: 14

Which statement best describes how the internet evolved?

- A. The internet emerged in the commercial world in the 1980's following the US military's adoption of TCP/IP in 1983.
- B. The internet evolved from a military to a research to a commercial based network.
- C. The internet remained primarily a research based network and was only commercially adopted in

2000 when the world wide web was conceived.

| | Answer: I |
|--|--|
| Question: 15 | |
| Which organization eventually | became the standards body for IP and related protocols? |
| A. IEEE | |
| B. IETF | |
| C. NSFNET | |
| D. ITU-T | |
| E. APNIC | |
| | Answer: I |
| Question: 16 | |
| Questioni 10 | |
| What is the name for an organ | nization that provides Internet services to its customers? |
| | |
| A. A large corporation. | |
| B. An ISP. | |
| C. A home based business. D. A content provider. | |
| b. A content providen | |
| | Answer: I |
| Question: 17 | |
| The IANA is responsible for: | |
| A. Intra-city ISP traffic | |
| A. IIIII a-city is trailic | |
| • | ddress space |
| B. Allocation of the global IP a C. Allocating IP addresses for r | residential customer traffic |
| B. Allocation of the global IP a C. Allocating IP addresses for r | residential customer traffic |
| B. Allocation of the global IP a C. Allocating IP addresses for r | residential customer traffic |
| • | residential customer traffic IP addresses |

A. Controls distribution of IP addresses.

| B. Simplifies protocol functionality.C. Isolates changes in lower layers from upper layers.D. Increases protocol operational efficiencies.E. Layering adds to the fragmentation of the data | |
|--|----------------|
| | Answer: C,D |
| Question: 19 | |
| To transmit its segments of data across the network TCP uses the services of | f which layer? |
| A. Application Layer. B. Transport Layer. C. IP Layer. D. Data Link Layer | |
| | Answer: C |
| Question: 20 | |
| Which of the following are protocols belonging to the OSI suite of protocols | ? (Choose two) |
| A. OSPF B. BGP C. X.500 D. IS-IS E. Ethernet | |
| | Answer: C,D |