

Implementing Cisco Service Provider Mobility UMTS Networks (SPUMTS)

Verson: Demo

[Total Questions: 10]

Question No:1

In which two ways is GRE used in GGSN? (Choose two.)

- A. to transport the subscriber traffic between MS and GGSN
- B. to transport AAA packets between GGSN and the service provider RADIUS server
- C. to transport AAA packets between GGSN and the corporate RADIUS server
- **D.** to transport the enterprise subscriber packets to the corporate gateway
- E. to transport the enterprise subscriber packets to the Internet

Answer: C,D

Question No:2

During the network-initiated PDP activation procedure, which network entity provides the GGSN the address of the SGSN, which the subscriber is attached to?

A. AAA B. OCS C. PCRF D. HLR

Answer: D

Question No:3

In which two scenarios is a create bearer request sent from the SGW to the SGSN on the S4 interface? (Choose two.)

- A. secondary PDP context activation procedure
- B. network-requested secondary PDP context activation procedure
- C. network-triggered service request procedure
- D. when downlink data arrives for the released bearers
- E. PGW restart restoration procedure

Answer: A,B

Question No:4

Refer to the exhibit.

```
charging-action cg-1
    content-id 100
    cca charging-credit
ruledef icmp-any
    icmp any-match = true
rulebase rulebase-1
    action priority 100 ruledef icmp-any charging-action cg-1
credit-control group test
    diameter endpoint gy-1
    diameter send-ccri traffic-start
```

Which three Diameter AVPs are sent within the CCR-I request to the OCS? (Choose three.)

- A. Session-ID
- **B.** Used-Service-Unit
- C. Request-Service-Unit
- D. 3GPP-Quota-Consumption-Time
- E. Subscription-ID
- F. Event-Trigger

Answer: A,C,E

Question No:5

In MGT-based routing, which option is the GT address format of the called party?

- **A.** E.212
- **B.** E.164
- **C.** E.412
- **D.** E.214
- **E.** E.216

Answer: D

Question No:6

What layer of the OSI model does the BSSAP+ protocol map to?

- A. Data link layer
- **B.** Network layer
- **C.** Transport layer
- **D.** Application layer

Answer: D

Question No:7

Which two transport protocols does the Diameter base protocol run on? (Choose two.)

- A. UDP
- B. TCP
- C. DCCA
- D. SCTP
- E. GRE
- F. DCCP

Answer: B,D

Question No:8

In which two ways does SGSN detect and know when GGSN has restarted? (Choose two.)

- A. change in recovery value in echo response
- B. change in recovery value in PDU notification request from GGSN to SGSN
- C. change in recovery value in Update PDP Context Request from GGSN to SGSN

D. when the sequence number in a response message is different from that of the request message

E. when the TEID value in response in GTP header is different from that of the request message

Answer: A,C

Question No:9

According to RFC 4006, for which two purposes is Diameter Control Credit Application designed? (Choose two.)

- A. authentication and authorization of access
- **B.** real-time content charging
- C. credit card payment authorization online
- D. credit authorization of prepaid users
- E. billing for postpaid users
- F. IMS core authorization
- G. collection of user statistics

Answer: **B**,**E**

Question No : 10

Into which state does a UE in a GPRS network move after the ready timer expires?

- A. idle state
- B. detached state
- C. suspended state
- D. ready state
- E. standby state

Answer: E