

Cisco IoT Essentials for System Engineers Questions & Answers Demo

Version: 4.0

Question: 1			
Which IE switch model supports Policy Extended Node capability with Cisco SD-Access?			
A. IE5000 B. IE2000 C. IE3200 D. IE3400			
		Answer: D	
Explanation:			
Question: 2			
What are two descriptions Dashboard? (Choose two.)	for the Secure Equipment Access (SEA) service	e in the IoT Operations	
 A. A remote user can access equipment through a browser. B. A VPN client, like Cisco Anyconnect, is required to establish the connection. C. The SEA Agent application is required to be installed in Cisco IoT routers. D. A network change by the IT team is required when a new SEA user is created. E. SEA access cannot be assigned to an external vendor outside the organization. 			
		Answer: A, C	
Explanation:			
Question: 3			
What is the Cisco-hosted Pn Dashboard?	P Connect server name to onboard an IR1101 (using the IoT Operations	
A. helper.cisco.com B. pnp.cisco.com C. devicehelper.cisco.com D. devicepnp.cisco.com			
		Answer: B	
Explanation:			

Explanation:

Question: 4			
Which platform supports WiFi	6/6E?		
A. IW6300 B. IR1101 C. IW9167E D. IG31R			
		Answer: A	
Explanation:			
Question: 5			
Which IE product is ideal as a replacement for unmanaged switches where small form factor, basic switching features, and fast boot time are mandatory requirements?			
A. IE 2000 Series B. IE 3000 Series C. IE 1000 Series			
D. IE 4000 Series			
		Answer: C	