LPI

702-100 Exam

Linux Professional Institute BSD Specialist

[Questions & Answers Demo]

Version: 4.0

Question: 1

Consider the following file legal file:
disclosure
non-disclosure
non-disclosure
Which line or lines in the file does the following command match? Note the space after the dash within the brackets.
grep "non [-] disclosure" legalfile

A. disclosure only
B. non-disclosure only
C. non-disclosure only
D. disclosure and non-disclosure only
E. non-disclosure and non-disclosure Only

Answer: E

Question: 2

What does S l represent in the following lines from a Bourne shell script:
#! /bin/sh
 cp SI 52

A. A control operator.
B. An environmental variable.
C. A function.
D. A positional parameter.
E. The shebang.

Answer: D

Question: 3

Which of the following excerpts is a valid if condition in the Bourne shell?

A.

```
if [ "$var" = "test" ]
 {
         echo True

 }
```
B.
```
if [ "$var" = "test" ]
then
         echo True
fi
```
C.
```
if [ "$var" = "test" ]
[[
         echo True

]]
```
D.
```
if ( "$var" = "test" )
         echo True
done
```

Answer: B

Question: 4

A file called mybackup is found while investigating a USB pen drive. Which utility can be used to determine the kind of data that is contained in that file?

A. file mybackup
B. Is -1 mybackup
C. tar -t mybackup
D. whatis mybackup
E. touch mybackup

Answer: A

Question: 5

Which BSD command lists, adds, or deletes swap devices?

A. diskcontro1
B. mkswap
C. swap
D. swapct1
E. swapinfo

Answer: D