

A00-250 Exam

SAS Certified Platform Administrator for SAS

[Questions & Answers Demo]

## Question: 1

Your environment contains a restore program named restoreServer.sas. Which statement regarding restoreServer.sas is FALSE?

A. connects to the metadata server using the SAS Trust credentials.

B. It writes a log to the metadata server directory.

C. You can execute the program in a SAS session with XCMD option enabled.

D. It restores the backup files from the SASBackup directory to the appropriate subdirectories in the metadata server directory.

Answer: A

# Question: 2

You used the SAS Add-In for Microsoft Office in Microsoft Excel to view a SAS OLAP cube. Which type of server is used to access the OLAP cube?

- A. OLAP server
- B. Workspace server
- C. OLAP and workspace server
- D. OLAP and batch server

Answer: A

# **Question: 3**

The SAS configuration directory on each server machine must be protected by:

A. metadata access controls.

- B. operating system controls.
- C. the Authorization Manager of SAS Management Console.
- D. the default Access Control Template (ACT).

Answer: B

### **Question: 4**

In order of precedence from highest to lowest, how are permissions on a metadata item evaluated?

A. Directly applied and ACT applied, Inherited from parent, Inherited from default ACT B. ACT applied,
Directly applied,
Inherited from parent,
Inherited from default ACT
C. Inherited from parent,
Inherited from default ACT,
ACT applied,
Directly applied
D. Directly applied,
Inherited from parent, ACT applied,
Inherited from parent, ACT applied,
Inherited from default ACT

Answer: A

## **Question: 5**

A client wants to have their system set up so that stored processes can access libraries without having to manage library assignments in the stored process code. How should the libraries be assigned?

A. by default

- B. by client application
- C. by pre-assignment
- D. by user access

**Answer: C** 

# **Question: 6**

To support seamless access to database servers or SAS processing servers, a login for outbound use may be defined in the metadata. An outbound login must include:

A. a user ID.

- B. a user ID and password.
- C. a user ID and authentication domain.
- D. a user ID, password, and authentication domain.

Answer: D

### **Question: 7**

Which process does NOT create a log file by default?

A. Metadata server

- B. Workspace server
- C. Object spawner
- D. OLAP Server

Answer: B