

OutSystems

ASSOCIATE-REACTIVE-DEVELOPER Exam

Associate Reactive Developer (OutSystems 11) Exam

Questions & Answers

Demo

Version: 4.0

Question: 1

During the 1-Click Publish, your application data model, code, and interface is compiled and generates .NET code, HTML, JavaScript and CSS. True or False?

- A. False
- B. True

Answer: B

Explanation:

Question: 2

Which of the following steps is necessary to create a 1-to-1 relationship between Entity A and Entity B?

- A. Set the data type of the identifier attribute of Entity B to Entity A Identifier.
- B. Add a new Entity C, with two reference attributes of type Entity A Identifier and Entity B U Identifier.
- C. Add a new reference attribute of type Entity B Identifier to Entity A.
- D. Add a new Entity C, with the identifier attribute being a composition of types Entity A Identifier and Entity B Identifier.

Answer: A

Explanation:

Question: 3

Considering ListItem and List Actions, which of the following options is false?

- A. When List Items have the full swiping option activated, the List Action is not necessary.
- B. The List Action triggers a Screen Action that will have the logic to be executed on swipe.
- C. List Actions can only be used inside List Items.
- D. List Items can be used outside of Lists.

Answer: A

Explanation:

Question: 4

Which of the following mappings between OutSystems and the Database is NOT correct?

- A. Reference attribute - Primary Key.
- B. Index - Index.
- C. Entities - Tables.
- D. Attributes - Column.

Explanation:

Answer: A

Question: 5

Static Entities are most similar to which other programming concept?

- A. Enumeration.
- B. Linked lists.
- C. Hash Maps.
- D. Static variables.

Explanation:

Answer: A
