

IBM

Exam C2090-600

IBM DB2 11.1 DBA for LUW

Verson: Demo

[Total Questions: 10]

Question No : 1

Which DB2 Explain Facility tool uses the Explain tables to display access plain information?

- A. db2look
- B. db2advis
- C. db2expln
- D. db2exfmt

Answer: C

Question No : 2

On Linux and Unix systems, which of the following will set the DB2_FMP_COMM_HEAPSZ registry variable to 1 GB (or 256000 pages), only for the instance db2inst1?

- A. As the db2 instance owner (db2inst1) execute the command: `export DB2_FMP_COMM_HEAPSZ=256000`
- B. Add to the following line to the userprofile (db2inst1):
`DB2_FMP_COMM_HEAPSZ=256000`
- C. As the db2 instance owner (db2inst1) execute the command: `db2set -i DB2_FMP_COMM_HEAPSZ=256000`
- D. As the db2 instance owner (db2inst1) execute the command: `db2set -i db2inst1 DB2_FMP_COMM_HEAPSZ=256000`

Answer: C

Question No : 3

What is the main benefit of performing an ADMIN_MOVE_TABLE operation in multiple steps?

- A. It does not acquire locks on the table
- B. It does not require additional temporary disk space
- C. It enables the user to control when the table will be offline
- D. It allows the ADMIN_MOVE_TABLE procedure to be used in HADR environments

Answer: D

Question No : 4

A production database has the following daily midnight backup schedule which includes all table spaces. The database incurs the same volume of daily activity (inserts, updates, and deletes).

Sunday – Delta

Monday – Incremental

Tuesday – Delta

Wednesday – Delta

Thursday – Incremental

Friday – Delta

Saturday – Full

Which day would you expect a RECOVER DATABASE following that day's backup to take the longest time to complete?

- A. Friday
- B. Monday
- C. Saturday
- D. Wednesday

Answer: A

Question No : 5

Which data types are only valid when DB2_COMPATIBILITY_VECTOR=ORA? (Choose two.)

- A. XML
- B. REAL

- C. NUMBER
- D. VARCHAR2
- E. VARBINARY

Answer: C,E

Question No : 6

Which statement about the db2move command is TRUE?

- A. The LOAD actions can be run from a client machine.
- B. Object ownership cannot be changed after a successful schema copy operation.
- C. Tables containing GENERATED ALWAYS identity columns can be imported or loaded.
- D. Loading data into tables containing XML columns is only supported for the LOAD actions.

Answer: D

Question No : 7

Which of the following are all valid types of trigger?

- A. AFTER, ATOMIC, BEFORE
- B. AFTER, ATOMIC, INSTEAD OF
- C. AFTER, BEFORE, INSTEAD OF
- D. ATOMIC, BEFORE, INSTEAD OF

Answer: C

Question No : 8

When querying the MON_GET_TABLESPACE table function, the values for many of the performance metrics like POOL_DATA_P_READS and POOL_DATA_L_READS are showing 0, even though there is activity occurring in the database. Which command must be executed to enable the table function to return actual data?

- A. UPDATE DB CFG USING MON_OBJ_METRICS BASE
- B. UPDATE DB CFG USING MON_ACT_METRICS BASE
- C. UPDATE DBM CFG USING DFT_MON_BUFPOOL ON
- D. UPDATE MONITOR SWITCHES USING BUFFERPOOL ON

Answer: C

Question No : 9

What levels of authority are needed to create a storage group? (Choose two.)

- A. DBADM
- B. SYSADM
- C. SQLADM
- D. SYSCTRL
- E. SYSMANT

Answer: B,D

Question No : 10

Which security mechanism is responsible for verifying that users are indeed who they claim to be?

- A. Authentication
- B. Roles and privileges
- C. Mandatory access control
- D. Discretionary access control

Answer: A