

ServiceNow

CIS-DISCOVERY Exam

Certified Implementation Specialist - Discovery

Questions & Answers

Demo

Version: 5.0

Question: 1

Based on this image, which of the following statements are true? (Choose three.)

Operation: Merge Table

* First Table: \$name_details

* Second Table: \$more_process_info

* Target Table: \$cmdb_ci_web_server

Merge Criteria: Condition

Meet: Any Following condition

\$process.executablePath Contains "mongoose"

Unmatched Values: Remove

- A. Attributes from two tables populate a table with the same name as a ServiceNow CMDB table.
- B. This operation is more than likely a part of a step on a pattern set to Application Pattern Type.
- C. If a value is unmatched, it is still merged into the Target Table.
- D. For this operation to run, there must be some data in the process.executablePath variable.
- E. This is a horizontal pattern of type "infrastructure."

Answer: BDE

Question: 2

Based on the following images, which choice best describes what occurs if Discovery sets the name attribute of a discovered Windows Server CI to 'Windows1' and then Altiris discovery runs detecting

'Windows2' for the name attribute on the same CI?

Reconciliation Definitions

| | Data Source | Applies to | Attributes | Active |
|--------------------------|-------------|-------------------------------------|------------|--------|
| <input type="checkbox"/> | Altiris | Windows Server [cmdb_ci_win_server] | name | true |
| <input type="checkbox"/> | OpenView | Windows Server [cmdb_ci_win_server] | name | true |
| <input type="checkbox"/> | ServiceNow | Windows Server [cmdb_ci_win_server] | name | true |

Data Source Precedentes

| | Applies to | Data Source | Order | Active |
|--------------------------|----------------------|-------------|-------|--------|
| <input type="checkbox"/> | [cmdb_ci_win_server] | ServiceNow | 100 | true |
| <input type="checkbox"/> | [cmdb_ci_win_server] | OpenView | 200 | true |
| <input type="checkbox"/> | [cmdb_ci_win_server] | Altiris | 300 | true |

- A. The name of the CI stays 'Windows1'.
- B. The name of the CI changes to 'Windows2'.
- C. The name of the CI does not populate with either discovery.
- D. The CI is not discovered because Discovery is not listed in either image.

Answer: B

Question: 3

For the Parse Variable pattern operation, what is required to have two different parsing methods to populate

variables?

- A. Two different Debug Mode sessions.
- B. A tabular and a scalar variable.

- C. Two different steps.
- D. Two different Define Parsing selections on the same step.

Answer: D

Explanation:

Reference: https://docs.servicenow.com/bundle/paris-it-operations-management/page/product/service-mapping/task/t_RegularExpParsStratPatDef.html

Question: 4

Which best describes Discovery schedule of type Configuration Item?

- A. Verifies Configuration Item data from the scanned IP ranges against the data in the CMDB.
- B. Creates only a list of discovered IPs in both IPv4 and IPv6 formats.
- C. Collects complete information from the scanned IP ranges and sends it to the CMDB.
- D. Directly populates records in the assets table.

Answer: D

Question: 5

When installing a MID Server on a Windows platform, which right must be associated when creating a Service Account?

- A. Local Admin
- B. Domain Admin
- C. MID Server User Role
- D. Log on as service

Answer: A

Explanation:

Reference: https://docs.servicenow.com/bundle/orlando-servicenow-platform/page/product/mid-server/task/t_InstallAMIDServerOnWindows.html