## **SAP**

## C\_BOWI\_41 Exam

SAP Certified Application Associate - SAP BusinessObjects Web Intelligence 4.1

Questions & Answers Demo

Question: 1	
Why would you need to change the data source for your query?	
<ul> <li>A. To change the universe connection of your universe</li> <li>B. To use the production universe instead of the test universe</li> <li>C. To use different objects from the universe</li> <li>D. To change the order of execution for existing queries</li> </ul>	
	Answer: B
Question: 2	
You insert the function CurrentDate() into a cell. To clarify the date formula is now: ="Sales Report from "+CurrentDate() Which formatting capability is disabled for the cell?	you add a string so that the
A. Format cell	
B. Hide cell C. Align text	
D. Format number	
	Answer: D
Question: 3	
To which destinations can you send a Web Intelligence document BusinessObjects Web Intelligence XI 4.0?	(WID) through InfoView of
A. Broadcast Agent	
B. Business Objects Inbox C. FTP	
D. Email	
E. File Server	
	Answer: B, C, D

Which three calculations can you use in a measure object in Web Intelligence?

A. Min

Question: 4

- B. Max
- C. Count

Answer: B

D. Count All
Answer: A, B, C
Question: 5
Which message appears when you select "Use query drill" while Scope of Analysis is set in a BusinessObjects Web Intelligence 4.0 report?
<ul><li>A. The Scope of Analysis is empty.</li><li>B. The Scope of Analysis is not empty.</li><li>C. The query drill mode option is enabled.</li><li>D. The query drill mode option is not enabled.</li></ul>
Answer: B
Question: 6 Which two functions could you use to concatenate the First Name and Last Name objects? A. =[First Name]+[Last Name] B. =[First Name]&[Last Name] C. =[First Name]  [Last Name] D. =Concatenation([First Name];[Last Name]) E. =Concatenation([First Name], [Last Name])
E. =Concatenation([First Name],[Last Name])
Answer: A, D
Question: 7  Which combination of functions should you use to convert the string "13/11/46 12:00:00 AM" to
"Wednesday 13 Nov 1946"?
A. Right() using Pos(), ToDate(), FormatDate() B. SubStr() using Pos(), ToDate(), FormatDate() C. Right() using Pos(), CurrentDate(), FormatDate() D. SubStr() using Pos(), CurrentDate(), FormatDate()

## Question: 8

Which method should you use to group query filters together to form one AND statement?

- A. Drag the queries together
- B. Drag the query filters to the Group panel

C. Select the filters, right-click and select Group  D. Select the filters, then click the Group Filters button on the toolbar	
	Answer: A
Question: 9	
What happens when you drop a dimension into a blank part of a rep without the ALT key selected?	oort that contains two blocks,
<ul><li>A. A new block is created.</li><li>B. A new section is created.</li><li>C. An error message is displayed.</li><li>D. The currently selected cell is displayed.</li></ul>	
	Answer: B
Question: 10	
A variable in your report contains the statement: =If[State] = "California Else If[State] = "Colorado" Then [Sales revenue] *  1.1 Else If[State] InList ("DC"; "Texas ") Then [Sales revenue] * 1.15 Else Then [Sales revenue] * 1.18 Else [Sales revenue]  Sales revenue for Florida is \$1,879,159. Which rate is applied to the Florida is \$1,879,159.	se If[State] = "Massachusetts"
A. 1.00 B. 1.05 C. 1.10 D. 1.15 E. 1.18	
	Answer: A