

SAP

C_C4H45_2408 Exam

**SAP Certified Associate - Integration Consultant - SAP Sales and
Service Cloud**

**Questions & Answers
Demo**

Version: 4.0

Question: 1

Which steps are mandatory for the setup of the data replication framework in SAP S/4HANA on premise? Note: There are 3 correct answers to this question.

- A. Define Data Replication Model
- B. Define Communication Arrangement
- C. Define Business System
- D. Define Service Group
- E. Define Logical System

Answer: ABE

Question: 2

Where do you have to import the SAP Cloud Integration root and intermediate CA certificates when replicating data from SAP S/4HANA to SAP Sales and Service Cloud?

- A. SAP S/4HANA SSL client PSE
- B. SAP Sales and Service Cloud certificate trust list
- C. SAP Web Dispatcher trust store
- D. SAP S/4HANA SSL server PSE

Answer: A

Question: 3

Which objects are replicated unidirectionally from SAP CRM to SAP Sales and Service

Cloud?Note: There are 2 correct answer to this question.

- A. Quotes
- B. Territories
- C. Business roles
- D. Products

Answer: AD

Question: 4

You create a new field in SAP Sales and Service Cloud, which should also be available in SAP S/4HANA. When do you need to extend the business partner message in SAP S/4HANA?

- A. When the field added to SAP Sales and Service Cloud is NOT available in the web service used by SAP S/4HANA
- B. When the mapping in SAP Cloud Integration or SAP Process Orchestration needs to be updated
- C. When the WSDL is downloaded from SAP Sales and Service Cloud and uploaded into SAP S/4HANA
- D. Only when the extension field is added using the software development kit (SOK)

Answer: A

Question: 5

What is SAP's recommendation for data filtering when using IDoc communication?

- A. Use a condition filter in the middleware to ensure other integrations are NOT impacted and all filtering logic can be maintained in one central place
- B. Use custom BAdIs to ensure other integrations are NOT impacted by SAP Sales and Service Cloud integration
- C. Use the standard filtering objects in the ALE distribution model. If this is NOT sufficient, use the IDOC_CREATION_CHECK BADI
- D. Use the change pointers BADI, IDOC_DATA_MAPPER. If this is NOT sufficient, use the IDOC_CREATION_CHECK BADI

Answer: C
