

Backup and Recovery - Avamar Specialist Exam for Implementation Engineers

Verson: Demo

[Total Questions: 10]

Question No:1

What is the name of the default administration account in EMC Avamar Administrator?

- A. Administrator
- B. MCUser
- C. dpn
- **D.** admin

Answer: B

Question No: 2

What is the physical memory requirement for the deployment of an EMC AVE 1 TB node?

- **A.** 3072 MB
- **B.** 4096 MB
- C. 8192 MB
- **D.** 16384 MB

Answer: B

Question No:3

What would you run to determine if your EMC Avamar server is running in a steady state?

- A. capacity.sh
- B. status.dpn
- C. dpnctl status
- **D.** healthcheck.pl

Answer: A

Question No: 4

What is a characteristic of an EMC Avamar NDMP backup?

EMC E20-594: Practice Test

- A. Every backup is a level 0 backup.
- B. Level 1 backups are performed daily and merged to a full backup at the end of the week.
- **C.** Each backup is a level 1 backup, and is merged to a full backup only when a restore request is received.
- **D.** After the first level 0 backup, level 1 backups are performed and merged to a full backup.

Answer: D

Question No:5

What is the minimum number of EMC Avamar Data Store nodes required for a supported RAIN configuration?

- **A.** 2
- **B.** 3
- **C.** 4
- **D.** 5

Answer: D

Question No: 6

Which command do you use to end all client activities when adding an EMC Avamar storage node?

- A. dpnctl stop mcs
- B. avmaint config -ava
- C. avmaint suspend
- D. dpnctl stop ems

Answer: C

Question No:7

Which command instructs the EMC Avamar server to stop load balancing?

EMC E20-594: Practice Test

- A. avmaint config balancemin=0 --avamaronly
- B. avmaint config balancemin=2 --avamaronly
- C. avmaint config balancemin=1 --avamaronly
- **D.** avmaint config balancemin=100 --avamaronly

Answer: A

Question No:8

Which is an advantage of performing VMware Image level backups with EMC Avamar?

- A. Backup can occur while the virtual machine is powered on or off
- B. Virtual machines are treated like any other physical machine
- C. File-level restores for the Linux virtual machine
- D. Reduced CPU and memory utilization on the virtual machine

Answer: A

Question No: 9

Which hash represents each data chunk processed during an EMC Avamar backup?

- A. atomic
- **B.** root
- C. composite
- D. file metadata

Answer: A

Question No: 10

According to EMC Avamar best practices, what is the maximum ratio of database data to file system data that a customer's environment should have?

- **A.** 20% / 80%
- **B.** 50% / 50%
- C. 30% / 70%

D. 10% / 90%

Answer: A