

EMC

Exam E20-598

Backup Recovery - Avamar Specialist Exam for Storage Administrators

Verson: Demo

[Total Questions: 10]

Question No : 1

By default, what does the "asktime" utility do when executed on the utility node?

- A. Configures the current time on the utility node and on all storage nodes
- B. Reports the NTP server's current time
- C. Reports the time on the utility node
- D. Configures the current time on the storage nodes

Answer: A

Question No : 2

Which time zone is used on EMC Avamar nodes?

- A. Local time on the utility node; GMT/UTC on the storage nodes
- B. GMT/UTC on the utility node; local time on the storage nodes
- C. All node types use the local time
- D. All nodes use GMT/UTC time

Answer: A

Question No : 3

A company using EMC Avamar wants to delete a backup from their grid during the end of the maintenance window. However, they are not able to delete it.

What may prevent the backup from being deleted?

- A. Garbage collection has been manually started
- B. Maintenance activities have been suspended
- C. Backups are running on the client
- D. O/S capacity utilization exceeds 80%

Answer: A

Question No : 4

What does an HFS check do?

- A. Validates the integrity of a checkpoint
- B. Performs server checkpoint rollbacks
- C. Performs a snapshot of an Avamar server
- D. Checks for RAID controller errors

Answer: C

Question No : 5

What are the three O/S user accounts that are used by the EMC Avamar server for authentication?

- A. root, admin, and dpn
- B. root, MCUser, and repluser
- C. admin, MCUser, and repluser
- D. root, dpn, and MCUser

Answer: A

Question No : 6

A storage node in a multi-node Avamar server has failed and a replacement node has been added to the grid. What is used to reconstruct the data on the new node?

- A. RAIN
- B. RAID
- C. Checkpoint
- D. Replication

Answer: A

Question No : 7

In an EMC Avamar backup operation, which process always produces identical chunk results given the same data?

- A. Sticky-byte factoring
- B. Compression
- C. File caching
- D. Hashing

Answer: A

Question No : 8

An EMC Avamar Gen4 server has arrived at a customer's site. You begin reviewing the hardware for an Avamar 6 installation. You find that two of the five nodes are Gen3 running RHEL OS and the others are running SLES OS.

Can you proceed with the install?

- A. No. All nodes in a Gen4 server must be Gen4 running SLES OS.
- B. Yes. The two nodes running RHEL can be re-kickstarted with SLES OS.
- C. Yes. The three nodes running SLES can be re-kickstarted with RHEL OS.
- D. No. All nodes in a Gen4 server must be Gen4 running RHEL OS.

Answer: A

Question No : 9

Which EMC Avamar replication mode allows for many-to-one and bi-directional replication?

- A. Normal
- B. Failover
- C. Root-to-root
- D. Selective root-to-root

Answer: A

Question No : 10

Which interface is used to start Avamar Client Manager?

- A. Enterprise Manager
- B. Command Line
- C. cron job
- D. Avamar Administrator

Answer: A