

# Version: 10.0

---

## Question: 1

---

When your device is in a default state, to which interface do you connect your management computer so you can use the Quick Setup Wizard or Web Setup Wizard to configure the device? (Select one.)

- A. Interface 0
- B. Console interface
- C. Any interface
- D. Interface 1

---

**Answer: D**

---

---

## Question: 2

---

In the default Firebox configuration file, which policies control management access to the device? (Select two.)

- A. WatchGuard
- B. FTP
- C. Ping
- D. WatchGuard Web UI
- E. Outgoing

---

**Answer: A,D**

---

---

## Question: 3

---

To use the Web Setup Wizard or Quick Setup Wizard to configure your Firebox or XTM device, your computer must have an IP address on which subnet? (Select one.)

- A. 10.0.10.0/24
- B. 10.0.1.0/24
- C. 172.16.10.0/24
- D. 192.168.1.0/24

---

**Answer: B**

---

---

## Question: 4

---

What is the best method to downgrade the version of Fireware OS on your Firebox without losing all device configuration settings? (Select one.)

- A. Restore a saved backup image that was created for the device before the last Fireware OS upgrade.
- B. Use the Upgrade OS feature in Fireware Web UI to install the sysa\_dl file for an order version of Fireware OS.
- C. Change the OS compatibility setting in Policy Manager to downgrade the device. Then use Policy Manager to save the configuration to the device.
- D. Use the downgrade feature on Policy Manager to select a previous of Fireware OS.

---

**Answer: A**

---

---

**Question: 5**

---

You configured four Device Administrator user accounts for your Firebox. To see a report of which Device Management users have made changes to the device configuration, what must you do? (Select two.)

- A. Start Firebox System Manager for the device and review the activity for the Management Users on the Authentication List tab.
- B. Connect to Report Manager or Dimension and view the Audit Trail report for your device.
- C. Open WatchGuard Server Center and review the configuration history for managed devices.
- D. Configure your device to send audit trail log messages to your WatchGuard Log Server or Dimension Log Server.

---

**Answer: B,C**

---

---

**Question: 6**

---

Which items are included in a Firebox backup image? (Select four.)

- A. Support snapshot
- B. Fireware OS
- C. Configuration file
- D. Log file
- E. Feature keys
- F. Certificates

---

**Answer: A,C,D,E**

---

---

**Question: 7**

---

Only 50 clients on the trusted network of your Firebox can connect to the Internet at the same time. What could cause this? (Select one.)

- A. TheLiveSecurity feature key is expired.
- B. The device feature key allows a maximum of 50 client connections.
- C. The DHCP address pool on the trusted interface has only 50 IP addresses.

D. The Outgoing policy allows a maximum of 50 client connections.

---

**Answer: C**

---