
Question: 1

Which protection profile can be used to protect against Directory Harvest attacks?

- A. antispam profile
- B. session profile
- C. content profile
- D. antivirus profile

Answer: B

Question: 2

What is one reason for deploying a FortiMail unit in Transparent Mode?

- A. DNS records do not necessarily have to be modified.
- B. Mail is not queued thereby expediting mail delivery.
- C. Mail is not inspected unless a policy explicitly matches the traffic.
- D. No user information needs to be stored on the FortiMail unit when operating in Transparent Mode.

Answer: A

Question: 3

Which profile can be used to protect against Denial of Service attacks?

- A. antispam profile
- B. session profile
- C. dos profile
- D. security profile

Answer: B

Question: 4

Which of the following parameters CANNOT be configured using the Quick Start Wizard?

- A. protected domains
- B. system time
- C. operation mode
- D. access control rules
- E. antispam settings

Answer: C

Question: 5

Which of the following DNS records resolves an IP address into a hostname?

- A. MX record
- B. PTR record
- C. A record
- D. NS record

Answer: B

Question: 6

Which SMTP sessions are defined as incoming?

- A. All SMTP sessions received by the FortiMail units
- B. SMTP sessions for the protected domain
- C. SMTP sessions received on the management interface
- D. All sessions generated from the internal network

Answer: B

Question: 7

Which back-end servers can be used to provide Recipient Verification?

- A. LDAP servers
- B. POP3 servers
- C. RADIUS servers
- D. SMTP servers

Answer: A,D

Question: 8

Under which of the following conditions would an email be placed in the Dead Mail queue?

- A. The recipient of the email is invalid.
- B. The sender of the email is invalid.
- C. The email is classified as spam.
- D. The remote MTA is performing Greylisting.

Answer: A,B
