

FCP - FortiMail 7.4 Administrator

Questions & Answers Demo

Version: 4.0

Question: 1

Refer to the exhibit.

DLP Scan Rule 1

4
Conditions Exceptions
Total 3
umber* *
ard_Number"

DLP Scan Rule 2

Name Comment	DLPOut	
Scan Rule		Conditions Exception
+ New_	⊠Edt. @Dekte	Total
ID Co	ndition	
1 Se	nder contains sales@example.com	

Refer to the exhibits, which shows a DLP scan profile configuration (DLP Scan Rule 1 and DLP Scan Rule 2) from a FortiMail device.

Which two message types will trigger this DLP scan rule? (Choose two.)

A. An email that contains credit card numbers in the body, attachment, and subject will trigger this scan rule.

B. An email sent from sales@internal. lac will trigger this scan rule, even without matching any conditions.

C. An email message that contains credit card numbers in the body will trigger this scan rule.

D. An email message with a subject that contains the term 'credit card" will trigger this scan rule.

Answer: C, D

Question: 2

Refer to the exhibit, which displays a history log entry.

History	System 8	Event N	Mail Event	t AntiVir	us AntiSp	am Encrypt	ion Log Se	arch Task		
🔳 List	I Diew	Search	♥ Exp	ort 🕶				2024-04-0	9 10:21:39 -> Current	
C <	< 1	/1>	⇒ Re	cords per pa	ge 100 💌	Go to line				
	Date	Time	Class	sifier	Disposition	From	Header From	То	Subject	Policy ID

In the Policy ID column, why is the last policy ID value SYSTEM?

A. The email was dropped by a system blacklist.

B. The email matched a system-level authentication policy.

D. The email did not match a recipient-based policy.

Answer: D

Question: 3

Refer to the exhibit, which shows the Authentication Reputation list on a FortiMail device running in gateway mode.

Sender Repu	utation	Authenticati	on Reputation			
n Delete	🔓 Add	to Exempt List	View Blocked History			
0 « <	1	/1>>	Records per page: 50 🔹			
IP			Location	Violation	Access	Expiry Time
10.0.1.254			ZZ (Reserved)	Mail	CLI, Mail, Web	5 minutes

Why was the IP address blocked?

- A. The IP address had consecutive SMTPS login failures to FortiMail..
- B. The IP address had consecutive IMAP login failures to FortiMail.
- C. The IP address had consecutive administrative password failures to FortiMail.
- D. The IP address had consecutive SSH login failures to FortiMail.

Answer: A

Question: 4

Which three configuration steps must you set to enable DKIM signing for outbound messages on FortiMail? (Choose three.)

- A. Generate a public/private key pair in the protected domain configuration.
- B. Enable the DKIM checker in a matching session profile.
- C. Publish the public key as a TXT record in a public DNS server.
- D. Enable the DKIM checker in a matching antispam profile.
- E. Enable DKIM signing for outgoing messages in a matching session profile.

Answer: A, C, E

	Question:	5
--	-----------	---

Exhibit.

Email Archiving	g Policy				0
Status	•				
Account	journal	•	+	ß	
Policy type	Recipient				
Pattern	marketing@example.com				
Comment					
					18

Email Archiving Exempt Policy

Status					
Account	journal	•	+	ß	
Policy type	Spam Email	•			
Pattern					
Comment					

Refer to the exhibits, which show an email archiving configuration (Email Archiving 1 and Email Archiving 2) from a FortiMail device.

What two archiving actions will FortiMail take when email messages match these archive policies? (Choose two.)

- A. FortiMail will save archived email in the journal account.
- B. FortiMail will archive email sent from marketingexample. com.
- C. FortiMail will exempt spam email from archiving.
- D. FortiMail will allow only the marketingeexample.com account to access the archived email.

Answer: A, C