

Huawei

H35-480_V3.0 Exam

HCIA-5G-RAN V3.0

**Questions & Answers
Demo**

Version: 4.0

Question: 1

In NSA networking, which of the following modes is used to anchor 5G NR?

- A. OGSM
- B. WCDMA
- C. CDMA
- D. LTE

Answer: D

Explanation:

The non-standalone (NSA) mode of 5G NR refers to an option of 5G NR deployment that depends on the control plane of an existing 4G LTE network for control functions, while 5G NR is exclusively focused on the user plane.[\[7\]](#)[\[8\]](#) This is reported to speed up 5G adoption, however some operators and vendors have criticized prioritizing the introduction of 5G NR NSA on the grounds that it could hinder the implementation of the standalone mode of the network

Question: 2

Which of the following devices is used to implement service slicing on the 5G RAN side?

- A. Antenna
- B. BBU
- C. AAU
- D. RRU

Answer: B

Explanation:

Question: 3

E2E network device update is required for the evolution from 5G NSA networking to SA networking.

- A. True
- B. False

Answer: B

Explanation:

Question: 4

5G wireless network cloudification can significantly improve the user rate.

- A. True
- B. False

Answer: A

Explanation:

Question: 5

C-band is the most popular frequency band for 5G network deployment. However, there is an imbalance between uplink and downlink coverage — how much does this imbalance approximately amount to?

- A. 5dB
- B. 3dB
- C. 12dB
- D. 20dB

Answer: D
