

Aruba Certified Network Security Associate

Questions & Answers Demo

Version: 4.0

Question: 1	
What is a vulnerability of an unauthenticated Dime-Heliman exchange	?
A. A hacker can replace the public values exchanged by the legitimate probability B. A brute force attack can relatively quickly derive Diffie-Hellman public values C. Diffie-Hellman with elliptic curve values is no longer considered second	private values if they are able to
NIST recommendations.	ure in modern networks, based on
D. Participants must agree on a passphrase in advance, which can limit in practical contexts.	the usefulness of Diffie- Hell man
	Answer: A
Explanation:	
Question: 2	
What is a difference between radius and TACACS+?	
A. RADIUS combines the authentication and authorization process while B. RADIUS uses TCP for Its connection protocol, while TACACS+ uses UEC. RADIUS encrypts the complete packet, white TACACS+ only offers packet. RADIUS uses Attribute Value Pairs (AVPs) in its messages, while TACACS	PP tor its connection protocol. rtial encryption.
	Answer: A
Explanation:	
Question: 3	
A company has an Aruba solution with a Mobility Master (MM) Mobi	lity Controllers (MCs) and campus

Aps. What is one benefit of adding Aruba Airwave from the perspective of forensics?

- A. Airwave can provide more advanced authentication and access control services for the AmbaOS solution
- B. Airwave retains information about the network for much longer periods than ArubaOS solution
- C. Airwave is required to activate Wireless Intrusion Prevention (WIP) services on the ArubaOS solution
- D. AirWave enables low level debugging on the devices across the ArubaOS solution

Answer: B

A. Disable Telnet and use TFTP instead.B. Disable SSH and use https instead.C. Disable Telnet and use SSH insteadD. Disable HTTPS and use SSH instead

Explanation: