

Juniper Junos, Associate Exam

Questions & Answers

Demo

Version: 8.1

Question: 1			
You issue a "request system ze	roize" command. Which st	atement is correct in	this scenario?
A. All data files remain unchar B. All data files are deleted and C. All data files are deleted and D. Disk space is freed by rotati	d all configuration settings d all configuration settings	are returned to facto remain unchanged	ry defaults.
		_	Answer: B
Question: 2			
Which two statements describ	e a routing policy?		
A. Active and inactive routes a B. A routing policy allows you C. Routing policy are used to c Protocols D. Attribute changes applied to	to control the flow of infor hoose which routes are se	mation into the routing nt to neighbors using	dynamic routing
		_	Answer: BC
Question: 3			
Which two features are imple	nented on the Packet Forv	varding Engine? (Cho	ose Two)
A. Chassis ManagementB. Firewall FiltersC. Class of ServiceD. Routing protocol update			
			Answer: BC
Question: 4			

What is minimum configuration required for a Junos device to respond to SN	IMP requests?
A. set snmp community public authorization read only B. set snmp public version v2 C. set snmp community public D. set snmp trap-group public version v1	
- -	Answer: C
Question: 5	
You have entered the command "show log messages match "error kernel is correct regarding the keywords error, kernel and panic in the output? A. the output messages will contain all messages from the file except the on three defined keywords. B. the output messages will contain all messages from the file that contains a Keywords C. the output messages will contain all messages from the file that contains a the three defined keywords D. the output messages will contain all messages from the file except the on	es that contain all all three defined at least one of
one of the three defined keywords	es that contains at least
- -	Answer: B

Question: 6

Referring to the exhibit,

```
[edit firewall family inet]
user@router# show
filter protect-RE-1 {
    term 1 (
     from (
       protocol icmp;
     then accept;
filter protect-RE-2 (
   term 1 {
    from {
     protocol icmp;
     then reject;
[edit interfaces 100]
user@router# show
unit 0 (
   family inet {
      filter (
         input-list [protect- RE-1 protect-RE-2];
       address 192.168.2.1/32;
1
[edit interfaces ge-0/0/0]
user@router# show
description "Management Interface";
```

what happens when ping packets are sent to management interface address of the local router?

- A. The ping packets are silently discarded
- B. An ICMP unreachable message is returned
- C. The Ping packets are accepted
- D. An ICMP redirect message is returned

Answer: D

Question: 7

Which two statements are true about static routes in the Junos OS (Choose Two)

- A. Static routes remain in the routing table until you remove them or until they become inactive
- B. Static routes are learned by neighboring devices and added to their routing tables
- C. Static routes are defined at the [edit routing-instance] hierarchy
- D. Static routes must have next hop defined

	Answer: AD
Question: 8	
A Junos device is configured with multiple routing protocols to the same d By Default, which route will be active in the forwarding table?	estination prefix.
A. A static route	
B. An OSPF route	
C. An IS-IS route	
D. A BGP route	
	Answer: A
Question: 9	
<u> </u>	
How would you change the display so that 40 lines will be displayed in the	terminal program
How would you change the display so that 40 lines will be displayed in the when you are logged into a junos device? A. Set the window size of your terminal program B. Issue that set cli screen-length 40 command from operational mode C. Set the display options in your terminal program D. Issue that set cli screen-length 40 command from Configuration mode	terminal program
when you are logged into a junos device? A. Set the window size of your terminal program B. Issue that set cli screen-length 40 command from operational mode C. Set the display options in your terminal program	terminal program Answer: B
when you are logged into a junos device? A. Set the window size of your terminal program B. Issue that set cli screen-length 40 command from operational mode C. Set the display options in your terminal program D. Issue that set cli screen-length 40 command from Configuration mode	
when you are logged into a junos device? A. Set the window size of your terminal program B. Issue that set cli screen-length 40 command from operational mode C. Set the display options in your terminal program	
A. Set the window size of your terminal program B. Issue that set cli screen-length 40 command from operational mode C. Set the display options in your terminal program D. Issue that set cli screen-length 40 command from Configuration mode Question: 10	
when you are logged into a junos device? A. Set the window size of your terminal program B. Issue that set cli screen-length 40 command from operational mode C. Set the display options in your terminal program D. Issue that set cli screen-length 40 command from Configuration mode	
A. Set the window size of your terminal program B. Issue that set cli screen-length 40 command from operational mode C. Set the display options in your terminal program D. Issue that set cli screen-length 40 command from Configuration mode Question: 10 Which routing table is used for multicasting forwarding cache? A. Inet.3 B. Inet.0	
A. Set the window size of your terminal program B. Issue that set cli screen-length 40 command from operational mode C. Set the display options in your terminal program D. Issue that set cli screen-length 40 command from Configuration mode Question: 10 Which routing table is used for multicasting forwarding cache? A. Inet.3 B. Inet.0 C. Inet.1	
A. Set the window size of your terminal program B. Issue that set cli screen-length 40 command from operational mode C. Set the display options in your terminal program D. Issue that set cli screen-length 40 command from Configuration mode Question: 10 Which routing table is used for multicasting forwarding cache? A. Inet.3 B. Inet.0	