

Automation and DevOps Associate (JNCIA-DevOps)

Questions & Answers Demo

Version: 5.0

Question: 1	
Which statement is correct about YAML?	
A. YAML strings must have quotation marks.B. YAML is not case-sensitive.C. YAML files must startD. YAML uses spaces for indentation	
	Answer: D
Question: 2	
What is the outcome of the Python a = b operator?	
A. The variables will be added togetherB. The variables are compared to determine if they have the same value.C. The variable are compared to determine if they have different data types.D. The variables will be subtracted from each other.	
	Answer: B
Question: 3	
Exhibit.	

```
# My favorite foods
- ice cream
- popsicle
- cake
- cookie
```

You are asked to create a block of code containing a list of desserts. What would you do to correct the YAML block shown in the exhibit?

- A. The YAML block should not have a comment
- B. The item cake should not be indented.
- C. The YAML block should start with # /bash/bin.
- D. The item ice cream should be in quotes.

Answer: B

Question: 4

Which two statements about Python lists are correct? (Choose two.)

- A. Lists can contain elements of multiple data types.
- B. Lists contain a countable number of ordered values
- C. Lists must contain only elements of the same data type.
- D. Lists contain a countable number of unordered values.

Answer: A, B

Question: 5

Exhibit.

Which set of DevOps CAUMS values is correct?	
A. Culture Automation, Lean, Measurement, and Sharing B. Coordinate, Acculturation. Lean, Mentoring, and Society C. Continuous, Assimilation, Learn, Morning, and Scientific D. Control, Automation, Learn, Methodology, and Support	
	Answer: D
Question: 6	
Which character is used to show the start of parameters in a REST API call?	
A. # B. = C. & D. ?	
	Answer: C
Question: 7	
What are two values of the Agile model of software development? (Choose t	wo.)
A. following a planB. comprehensive documentationC. working softwareD. responding to change	
	Answer: C, D
Question: 8	

Questions & Answers PDF

```
Exhibit
 - name: Load and commit configuration
 hosts: R1
  roles:
    - Juniper.junos
   connection: local
   gather_facts: no
   tasks:
    - name: Load configuration and commit
      juniper_junos_config:
       load: "merge"
       src: "build_conf/{{ inventory_hostname }}/junos.conf"
    , register: response
     - name: Print the response
      debug:
        var: response
```

Referring to the exhibit, where would the junos. conf file be found?

- A. a directory located on R1
- B. a directory on juniper__}uno3_conf
- C. a local directory on the Ansible control machine
- D. a directory on the device list in inventory_hostname

Answer: C