### Question: 1

For an attribute to be loaded on a catalog/product object, which two of the following conditions must be satisfied? (Choose two)

- A. The eav attribute table must contain a row defining the attribute's properties and its entity type.
- B. The attribute must have a backend model configured in the XML config.
- C. The attribute must be part of the attribute set pertaining to the object being loaded.
- D. There must be a record of the attribute on the catalog product super atti:ibute table.
- E. There must be a column added to the catalog product entity table.

Answer: A, C

#### Question: 2

What class does an adminhtml grid directly extend?

- A. Mage\_Adminhtml\_Block\_Widget
- B. Varien\_Data\_Grid
- C. Varien Data Widget
- D. Mage Adminhtml Block Template

Answer: A

#### **Question: 3**

You have a product collection and want to add a filter to get all products whose name starts with Test or whose price is 0.00.

Which of the following statements would add that OR condition?

```
Α.
```

```
$collection->addAttributeToFilter(array(
array('attribute' => 'price', 'eq' => 0.00),
array('attribute' => 'name', 'like' => 'Test%')
));

B.

$collection
->addFieldToFilter('price', 0.00)
->addFieldToFilter('name', array('like' => 'Test%')
);
C.
```

```
$collection
->addAttributeToFilter('price', 0.00)
->addAttributeToFilter('name', array('like' => 'Test%')
);

D.

$collection->addFieldToFilter(
array('price', 'name'),
array(array('eq' => 0.00), array('like' => 'Test%'))
);

E.

$collection
->addAttributeToFilter('price', 0.00)
->addOrCondition('name', array('like' => 'Test%'));
```

**Answer: A** 

# **Question: 4**

Which three of the following conditions are used to protect an admin route via ACL? (Choose three)

- A. You have defined an ACL in your module configuration
- B. At least one admin role must have permission for that route
- C. You have extended the controller from Mage\_Adminhtml\_Controller\_Action
- D. You have defined a method is Allowed which checks the permission
- E. The route name must start with admin

Answer: A, C, D

# **Question: 5**

Which table is used for calculating a new increment ID for an order?

- A. sales\_flat\_order\_increment
- B. eav\_entity\_store
- C. core\_increment
- D. core\_config\_data

**Answer: B** 

### **Question: 6**

Which one of the following API methods exists in Magento?

A. catalog\_category.save

B. catalog_product, items	
C. catalog_product_attribute_set.update	
D. catalog_product.info	
_	Answer: D
_	
Question: 7	
Which one of the following classes must you extend in order to implement	nt a custom indexer?
A. Mage_Eav_Model_Indexer_Abstract B. Mage_Core_Model_Indexer_Abstract C. Mage_Index_Model_Entity_Indexer_Abstract	
D. Mage_Index_Model_Indexer_Abstract	
_	Answer: D
Question: 8	
Which two EAV attribute frontend_input types make use of source model	s? (Choose two)
A. text B. textarea	
C. select	
D. multiselect	
E. date	
F. gallery	
_	Answer: C, D
_	<u>,                                      </u>
Question: 9	
What is the difference in the effect of calling the invoice capture () method?	ood versus the invoice pay ()
A. No difference: pay () will always call capture ().	
B. pay () will trigger the payment and capture!) will not.	
<ul><li>C. capture () will trigger the payment and pay () will not.</li><li>D. The difference is determined by the payment method implementation</li></ul>	
b. The difference is determined by the payment method implementation	•
	Answer: C
Question: 10	
Question. 10	
How is the sort order in which total models collect their values specified?	

- A. The sort order is specified in the admin configuration under Sales > "Checkout Totals Sort Order".
- B. The sort order is specified in the system configuration under global/sales/quote/totals/ [total\_code] with <before> and <after> nodes.
- C. The sort order is defined by the module loading order as specified by the children of the modules/ [module\_name]/depends configuration node.
- D. The sort order is specified by the collect method in each total model.

	Answer: A
Question: 11	
Which method is called on a shipping carrier model to fet along with the rates associated with them, for a quote add	• • •
A. collectShippingRates()	
B. getAllowedMethodsO C. getShippingRates ()	
D. getAvailableRates() E. collectRates()	
	Answer: E