

Netapp

Exam NS0-145

NetApp Certified Storage Associate

Verson: Demo

[Total Questions: 10]

Question No : 1

In Data ONTAP the root user is exempt from these two quotas: _____. (Choose two.)

- A. group quotas
- B. user quotas
- C. tree quotas
- D. root quotas
- E. file quotas

Answer: A,B

Question No : 2

Which two are Data ONTAP commands for gathering performance information? (Choose two.)

- A. sio_ntap_soll
- B. sysstat
- C. perfstat
- D. nfsstat

Answer: B,D

Question No : 3

Which exportfs command will temporarily export the resource <path> while ignoring the options specified in the /etc/exports file?

- A. exportfs -a <path>
- B. exportfs -u <path>
- C. exportfs -v <path>
- D. exportfs -i <path>

Answer: D

Question No : 4

Which two are functions of multipathing software? (Choose two.)

- A. Mirroring Port IO
- B. Path health monitoring
- C. Load balancing
- D. RAID reconstruction after a failure
- E. Monitoring fiber optical signal quality

Answer: A,C

Question No : 5

There are 16 SAS disks available for creating the aggregate; you use 14 disks to create a RAID DP aggregate. The RAID group size is 8 disks in a raid group.

Which statement is TRUE?

- A. You create 1 raid group of 16 disks.
- B. You create 2 raid groups of 6 disks each.
- C. You create 2 RAID groups one containing 8 disks and other containing 6 disks.
- D. You create 1 raid group of 12 disks.

Answer: B

Question No : 6

What is a VSIM?

- A. It is a data replication solution.
- B. It is a data protection solution for remote and branch offices.
- C. It runs Data ONTAP without using standard NetApp platforms.
- D. It is a thin replication solution.

Answer: C

Question No : 7 DRAG DROP

Match the configuration file with its purpose.

Builds UNIX credentials for a Windows user	/etc/usermap.cfg
Persistent CIFS setup configuration information	/etc/passwd
Windows users to UNIX users mapping	/etc/lclgroups.cfg
Stores local groups created using useradmin command	/etc/cifsconfig_setup.cfg
Stores Windows domain SIDs	/etc/cifssec.cfg

Answer:

Builds UNIX credentials for a Windows user	Windows users to UNIX users mapping
Persistent CIFS setup configuration information	Builds UNIX credentials for a Windows user
Windows users to UNIX users mapping	Stores local groups created using useradmin command
Stores local groups created using useradmin command	Persistent CIFS setup configuration information
Stores Windows domain SIDs	Stores Windows domain SIDs

Question No : 8

Which technology natively enables block-level access by a host to d.sk storage via a standard LAN?

- A. iSCSI
- B. FC
- C. CIFS
- D. NFS

Answer: A

Question No : 9

Which two commands can be used to enable LUN reservations? (Choose two.)

- A. lun create
- B. fcp -r <lun_path>
- C. lun set reservation
- D. iscsi -r <lun_path>

Answer: A,C

Question No : 10

John is a windows user attempting to access a volume or qtree with security style of UNIX. Assuming no explicit name mapping has been done and to validate authorization, to which default user does he get mapped?

- A. Admin
- B. Pcuser
- C. Root
- D. john

Answer: B