FortinetNSE6_FML-7.2 Exam

Fortinet NSE 6 - FortiMail 7.2

Questions & Answers

Demo

Version: 4.0

Question: 1

Refer to the exhibits showing SMTP limits (Session Profile — SMTP Limits), and domain settings (Domain Settings, and Domain Settings — Other) of a FortiMail device.

Session Profile—SMTP Limits


ession Profile		
Profile name	Example_Session	
Comment		
SMTP Lim	nits	
Restrict number of EHLO/HELOs per session to		3
Restrict number of email per session to		10
Restrict number of recipients per email to		500
Cap message size (KB) at		51200
Cap header size (KB) at		10240
Maximum number of NOOPs allowed for each connection		10
Maximum no	umber of RSETs allowed for each connection	20

Domain Settings

FortiMail

Domain name	example.com				
Relay type	Host ▼				
	SMTP server	10.29.1.45	Port	25	[Test]
	Use	SMTPS			es#
	Fallback SMT	P server	Port	25	[Test]
	Use	SMTPS			
•	Relay Au	thentication			

Domain Settings—Other



Which message size limit in KB will the FortiMail apply to outbound email?

- A. 204300
- B. There is no message size limit for outbound email from a protected domain.
- C. 10240
- D. 51200

Question: 2

Answer: D

A FortiMail device is configured with the protected domain example.com.

If none of the senders is authenticated, which two envelope addresses will require an access receive rule? (Choose two.)


- A. MAIL FROM: support@example.org RCPT TO: marketing@example.com
- B. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com
- C. MAIL FROM: accounts@example.com RCPT TO: sales@biz.example.com
- D. MAIL FROM: training@example.com RCPT TO: students@external.org

Answer: A, B

Explanation:

Question: 3

Refer to the exhibit, which shows a topology diagram of two separate email domains.



Which two statements correctly describe how an email message is delivered from User A to User B? (Choose two.)

- A. mx.example1.org will forward the email message to the MX record that has the lowest preference.
- B. User B will retrieve the email message using either POP3 or IMAP.
- C. User A's MUA will perform a DNS MX record lookup to send the email message.
- D. The DNS server will act as an intermediary MTA.

Answer: A, B

Explanation:

Question: 4

Refer to the exhibit which shows the output of an email transmission using a telnet session.

```
220 mx.internal.lab ESMTP Smtpd
EHLO 10.0.1.10
250-mx.internal.lab Hello [10.0.1.10]
250-SIZE 10485760
250-DSN
250-AUTH LOGIN PLAIN DIGEST-MD5 CRAM-MD5
MAIL FROM: <extuser@external.lab>
250 2.1.0 <extuser@external.lab>... Sender ok
RCPT TO: <user1@internal.lab>
250 2.1.5 <user1@internal.lab>... Recipient ok
DATA
354 Enter mail, end with "." on a line by itself
From: External User 1 <extuser@external.lab>
To: Mail User 1 <user1@internal.lab>
Date: 30 Jun 2021 12:24:54 +0100
Subject: Hello, World!
The quick brown fox jumped over the lazy dog.
250 Message accepted for delivery
QUIT
221 mx.internal.lab closing connection
```

What are two correct observations about this SMTP session? (Choose two.)

- A. The SMTP envelope addresses are different from the message header addresses.
- B. The "250 Message accepted for delivery" message is part of the message body.
- C. The "Subject" is part of the message header.
- D. The "220 mx.internal.lab ESMTP Smtpd" message is part of the SMTP banner.

	Answer: C, D
Explanation:	
Question: 5	

Which two features are available when you enable HA centralized monitoring on FortiMail? (Choose two.)

- A. Policy configuration changes of all cluster members from the primary device.
- B. Mail statistics of all cluster members on the primary device.

C. Cross-device log searches across all cluster members from the print. D. Firmware update of all cluster members from the primary device	mary device.
b. Tilliware apaate of all claster members from the primary device	
	Answer: B, C
Explanation:	