## Tableau SCA-C01 Exam

**Tableau Server Certified Associate** 

Questions & Answers Demo

## Version: 4.0

Question: 1
Select the correct statements that pertain to static and dynamic IP addresses when running Tablea Server:
A. For a single-node installation of Tableau Server, a static IP address must be used B. For a single-node installation of Tableau Server, a dynamic IP address must be used C. For a multi-node installation of Tableau Server, a static IP address must be used D. For a multi-node installation of Tableau Server, a dynamic IP address must be used
Answer: A, C
Explanation:  Link to Tableau Server documentation: <a href="https://help.tableau.com/current/server/en-us/distrib_requ.htm">https://help.tableau.com/current/server/en-us/distrib_requ.htm</a>
Question: 2
As defined in the End User License Agreement, how many non-production environments are allowed for a Tableau Server license?
A. 2 B. 1
C. 3
D. 4 E. 5
J
Answer: A
Typlomation
Explanation: Link to Tableau Server documentation: <u>https://kb.tableau.com/articles/howto/test-environment-license</u>
Question: 3
Which of the following are correct statements that describe silent installs? (Select all)
A. To start Tableau Server, use tbcmd start
3. To start Tableau Server, use tsm start

C. Tableau Server does not start automatically when installed in /silent or /quiet mode D. Tableau Server does not start automatically when installed in /silent or /hush mode

	Answer: B, C
Explanation: Link to Tableau Server documentation: <a <="" help.table.com="" href="https://help.table.com/https://&lt;/th&gt;&lt;th&gt;leau.com/current/server/en-&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Question: 4&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;What is the minimum number of Tableau Server nodes required to sa requirements?&lt;/td&gt;&lt;td&gt;atisfy High Availability (HA)&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;A. 6&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;B. 4&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;C. 3&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;D. 2&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;E. 8&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;-&lt;br&gt;-&lt;/th&gt;&lt;th&gt;Answer: C&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Explanation: Link to Tableau Server documentation: &lt;a href=" https:="" td=""><td>leau.com/current/server/en-</td></a>	leau.com/current/server/en-
Question: 5	
Which Tableau Server process is being described? • Runs server tasks, including extract refreshes, subscriptions, 'Run Now' to Tasks initiated from tabcmd	asks
<ul><li>A. Backgrounder</li><li>B. Application Server</li><li>C. Ask Data</li><li>D. Cache Server</li></ul>	
	Answer: A

## Explanation:

Link to Tableau Server documentation:

https://help.tableau.com/current/server/en-us/processes.htm