Sitecore SITECORE-10-NET-DEVELOPER Exam

Sitecore 10 .NET Developer Exam

Questions & Answers Demo

Version: 4.0

Question: 1

You have been hired to create a company's website, and, as you prepare, you must define the data structures in Sitecore to create items and content. What should you use to define your data structures?

A. Templates

- B. Config files
- C. SQL tables
- D. Renderings

Answer: A

Explanation:

Question: 2

While using the Sitecore Install Assistant (SIA), you encounter the error below: Based on the information provided in the image, what is the most likely reason for this install error?

Welcome	Install	
Preroquicitas	Installing Sitecore with the settings you defined.	
Install Solr	The installation failed	
Sitecore settings	An error has occurred. For more information, see the log file.	
SQL Server settings	Installation Status	keg A
	[Error]: Unable to parse [variable[XConnectSolr_Core.Root]] - Exception calling "Evaluate" with "2" argument(s): "The run command stopped because the preference variable "ErrorAction/Preference" or common parameter is set to Stop. Unable parse [joinpath/variable](XConnectSolr_Solr_Senver): variable](XConnectSolr_Xalb Name]]): - Exception calling "Evaluate" "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" or common parameter is set to Stop. Unable to parse [joinpath/variable](XConnectSolr_Xalb Name]]): - Exception calling "Evaluate" "common parameter is set to Stop. Unable to parse [joinpath/variable](XConnectSolr_Solr_RollRoot]): "server", variable" common parameter is set to Stop. Unable to parse [joinpath/variable](XConnectSolr_Solr_Root])] - Exception calling "contant" with "2" "evaluate" with "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" common parameter is set to Stop. Unable to parse [joinpath/variable](XConnectSolr_Solr_Root])] - Exception calling "imov@WContex" ("Interview") "Evaluate" vith "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" common parameter is set to Stop: Unable to parse [resolvepath/parameter(XConnectSolr_SolrSolr_Olr)] - Exception calling "imov@WContex" ("Interview") "Evaluate" vith "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" common parameter is set to Stop: Unable to parse [resolvepath/parameter(XConnectSolr_SolrBoot)]) - Exception calling "imov@WContex"	
Solv settings Optional modules Sommary	[Error]: Unable to a command stopped because the preference va command stopped parse [joinpath(variable("XConnectSolr_Solr.So "2" argument(s): "The running command stop parameter is set to Stop: Unable to parse [join "Evabate" with "2" argument(s): "The running common parameter is set to Stop: Unable to p to the state of the stop of the stop: Unable to p to the state of the stop of the stop: Unable to p	erver'), variable('XConnectSolr_Xdb.Name'))] - Exception calling "Evaluat oped because the preference variable "ErrorActionPreference" or commo npath(variable('XConnectSolr_Solr.FullRoot'), 'server', 'solr')] - Exception of o command stopped because the preference variable "ErrorActionPrefer parse [resolvepath(parameter('XConnectSolr_SolrRoot'))] - Exception cal
Optional modules	[Error]: Unable to a command stopped because the preference va parse [joinpath(variable(XConnectSolr_Solr.Sol "2" argument(s): "The running command stop parameter is set to parameter is set to Stop: Unable to parse [join "Evaluate" with "2" "Evaluate" with "2" argument(s): "The running common parameter is set to Stop: Unable to parse [join "ImokeWithContext" with "2" argument(s): "The running "Evaluate" with "2" "Evaluate" with "2" argument(s): "The running "Evaluate" with "2" argument(s): "The running "Evalu	erver), variable('XConnectSolr_Xdb.Name'))] - Exception calling "Evaluat oped because the preference variable "ErrorActionPreference" or commo npath(variable('XConnectSolr_Solr_FullRoot), 'server', 'solr')] - Exception (command stopped because the preference variable "ErrorActionPrefer

- A. The Sitecore instance username/password were incorrect.
- B. The Solr install path was set incorrectly.
- C. The Solr service was stopped.

D. The SQL server username/password were incorrect.

Answer: D

Explanation:

Reference:

https://doc.sitecore.net/sitecore_experience_platform/82/setting_up_and_maintaining/xdb/configurin g_servers/sitecore_installation_assistant

Question: 3

You want to control the order in which patch files load. Which element could you use in the Layers.config file to accomplish this?

A. <configLayer> B. <loadOrder> C. <configLoad> D. <patchOrder>

Answer: D

Explanation:

Question: 4

What is the purpose of a Sitecore Support Package?

A. To help Sitecore replicate an issue without needing to access the environment directly.

- B. To let Sitecore Support Services access active logs running directly in the environment.
- C. To make it easier for you to download update packages and install them into your environment.
- D. To give Sitecore direct access to your environment for support purposes.

Answer: D

Explanation:

Question: 5

You are setting up a Sitecore instance without the use of SXA and want to accommodate three publicfacing websites. Where would you map the correct Home item to its corresponding hostname?

- A. In the /system/settings section of the Master database
- B. In the Sitecore Core database's settings file
- C. In the Internet Information Services website definition settings
- D. In a config patch file located in the/App_Config/Include folder

Answer: D